ABflo® 488 anti-Mouse CD3e mAb

110 ® 488 anti-Mouse CD3e mAD www



Catalog No.: A26899

Basic Information

Observed MW

Calculated MW 21kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Mouse

CloneNo number

ACC0011-ABf488

Conjugate

ABflo® 488. Ex:491nm. Em:516nm.

Background

Predicted to enable several functions, including SH3 domain binding activity; identical protein binding activity; and protein heterodimerization activity. Involved in nervous system development and positive regulation of cell adhesion. Acts upstream of or within several processes, including positive regulation of T cell activation; positive regulation of cytokine production; and regulation of signal transduction. Located in several cellular components, including dendritic spine; external side of plasma membrane; and immunological synapse. Part of alpha-beta T cell receptor complex. Is expressed in colon and hemolymphoid system. Human ortholog(s) of this gene implicated in immunodeficiency 18. Orthologous to human CD3E (CD3e molecule).

Recommended Dilutions

FC

5 μ l per 10^6 cells in 100 μ l volume

Immunogen Information

Gene ID

Swiss Prot P22646

12501

ImmunogenRecombinant protein of mouse CD3e.

Synonyms

CD3; T3e; CD3epsilon

Contact

<u>a</u>		400-999-6126
\bowtie		cn.market@abclonal.com.cn
$\overline{\triangle}$	ī	www.ahclonal.com.cn

Product Information


SourceIsotypePurificationArmenian HamsterIgGAffinity purification

Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.09% Sodium azide, 0.2% BSA, pH7.3.

Validation Data



Flow cytometry: $1X10^6$ C57BL/6 splenocytes were surface-stained with ABflo® 488 Armenian Hamster IgG isotype control(5 μ I/Test,left) or ABflo® 488 anti-Mouse CD3e mAb (A26899,5 μ I/Test,right).