ABflo® 488 Rabbit anti-Mouse CD103 mAb

Catalog No.: A27133



Basic Information

Observed MW

Calculated MW 129kDa

Category Primary antibody

Applications FC

Cross-Reactivity Mouse

CloneNo number ARC69162-ABflo488

Conjugate

ABflo® 488. Ex:491nm. Em:516nm.

Recommended Dilutions

FC

5 μl per 10^6 cells in 100 μl volume

Background

Predicted to enable metal ion binding activity. Predicted to act upstream of or within cell adhesion and integrin-mediated signaling pathway. Located in external side of plasma membrane. Is expressed in several structures, including alimentary system; genitourinary system; lymph node; nasal septum; and nucleus pulposus. Orthologous to human ITGAE (integrin subunit alpha E).

Immunogen Information

Gene ID 16407 Swiss Prot Q60677

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 191-385 of mouse CD103 (NP_032425.2).

Synonyms

CD103; aM290; alpha-E1; A530055J10; alpha-M290

Contact

6	400-999-6126
\bowtie	cn.market@abclonal.com.cn
€	www.abclonal.com.cn


Product Information


Source Rabbit **Isotype** IgG **Purification** Affinity purification

Storage

Store at 2-8°C. Avoid freeze. Buffer: PBS with 0.09% Sodium azide,0.2% BSA,pH7.3.

Validation Data





Flow cytometry: 1X10^6 NIH/3T3 cells (negative control,left) and C57BL/6 mouse splenocytes cells (right) were surface-stained with ABflo® 488 Rabbit anti-Mouse CD103 mAb (A27133,5 µl/Test,orange line) or ABflo® 488 Rabbit IgG isotype control (A22069,5 µl/Test,blue line). Nonfluorescently stained cells were used as blank control (red line). Flow cytometry: 1X10^6 C57BL/6 mouse splenocytes cells were surface-stained with ABflo® 488 Rabbit IgG isotype control (A22069,5 µl/Test,left) or ABflo® 488 Rabbit anti-Mouse CD103 mAb (A27133,5 µl/Test,right).