ABclonal www.abclonal.com

ABflo® 647 Rabbit anti-Mouse CD223/LAG-3 mAb

Catalog No.: A28268

Basic Information

Observed MW

Refer to figures

Calculated MW

57 kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Mouse

CloneNo number

ARC77410

Conjugate

ABflo® 647. Ex:648nm. Em:664nm.

Background

Enables MHC class II protein binding activity and transmembrane signaling receptor activity. Involved in negative regulation of regulatory T cell differentiation; plasmacytoid dendritic cell activation; and regulation of immune response. Acts upstream of or within cell surface receptor signaling pathway; negative regulation of interleukin-2 production; and positive regulation of natural killer cell mediated cytotoxicity. Located in external side of plasma membrane and extracellular region. Orthologous to human LAG3 (lymphocyte activating 3).

Recommended Dilutions

FC

≤0.25 µg per million cells in 100 µl volume

Immunogen Information

Gene ID 16768

Swiss Prot

Q61790

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

Ly66; CD223; LAG-3

Contact

a	400-999-6126
\bowtie	cn.market@abclonal.com.cn
\odot	www.abclonal.com.cn

Product Information


SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.09% Sodium azide, 0.2% BSA, pH7.3.

Validation Data



Flow cytometry:1X10^6 C57BL/6 mouse splenocytes (untreated, left) and C57BL/6 mouse splenocytes (treated with 2 μ g/ml Anti-Mouse CD3/CD28 for 3 days, right) were surface-stained with ABflo® 488 Rat anti-Mouse CD3 mAb (A27161,5 μ l/Test) and ABflo® 647 Rabbit anti-Mouse CD223/LAG-3 mAb (A28268,0.25 μ g).