

PE Rabbit anti-Mouse PD-1/CD279 mAb

Catalog No.: A28593

Basic Information

Observed MW

Calculated MW

32 kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Mouse

CloneNo number

ARC80702

Conjugate

PE. Ex:565nm. Em:574nm.

Recommended Dilutions

FC ≤0.25 µg per million cells
in 100 µl volume

Background

CD279, also known as programmed death 1 (PD-1), is expressed on activated splenic T cells, B cells, and thymocytes. Its expression can also be induced on activated myeloid cells. PD-1 participates in lymphocyte clonal selection and peripheral tolerance by binding to its ligands B7-H1 (PD-L1) and B7-DC (PD-L2). The interaction between PD-1 and PD-L1 has been reported to be crucial for positive selection and plays a role in shaping the T-cell repertoire. Negative co-stimulation via PD-L1 is essential for the long-term survival of intratesticular islet allografts.

Immunogen Information

Gene ID
18566

Swiss Prot
Q02242

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

PD-1; Pdc1; Ly101

Contact

	400-999-6126
	cn.market@abclonal.com.cn
	www.abclonal.com.cn

Product Information

Source
Rabbit


Isotype
IgG

Purification
Affinity purification

Storage

Store at 2-8°C. Avoid freeze.
Buffer: PBS with 0.09% Sodium azide, 0.2% BSA, pH7.3.

Validation Data



Flow cytometry: 1X10⁶ C57BL/6 mouse splenocytes (untreated, left) and C57BL/6 mouse splenocytes (treated with 2.5 µg/ml Con-A and 20 ng/ml IL-2 for 3 days, right) were surface-stained with Abflo® 488 Rat anti-Mouse CD3 mAb (A27161, 5 µl/Test) and PE Rabbit anti-Mouse PD-1/CD279 mAb (A28593, 0.25 µg, right).