

# Anti-Monkey IgG (Fc) mAb

Catalog No.: A28760

## Basic Information

### Observed MW

### Calculated MW

50-55 kDa

### Category

Primary antibody

### Applications

IHC-P

### Cross-Reactivity

Cynomolgus monkey

### CloneNo number

ARC5343-01

## Background

Predicted to enable antigen binding activity and immunoglobulin receptor binding activity. Predicted to be involved in several processes, including activation of immune response; defense response to other organism; and phagocytosis. Predicted to act upstream of or within several processes, including immunoglobulin mediated immune response; positive regulation of hypersensitivity; and positive regulation of phagocytosis. Located in extracellular space.

## Recommended Dilutions

IHC-P 1:15000 - 1:60000

## Immunogen Information

### Gene ID

/

### Swiss Prot

/

### Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

### Synonyms

IGHG1;IGHG2;IGHG3;IGHG4

## Contact

☎ | 400-999-6126

✉ | [cn.market@abclonal.com.cn](mailto:cn.market@abclonal.com.cn)

🌐 | [www.abclonal.com.cn](http://www.abclonal.com.cn)

## Product Information

### Source

Rabbit

### Isotype

IgG

### Purification

Affinity purification


### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.09% Sodium azide, 0.05% BSA, 50% glycerol, pH7.3.

## Validation Data

---



Immunohistochemistry analysis of paraffin-embedded Cynomolgus monkey spleen tissue using Anti-Monkey IgG (Fc) mAb (A28760) at a dilution of 1:50000 (40x lens). High pressure antigen retrieval performed with 0.01M Tris-EDTA Buffer (pH 9.0) prior to IHC staining.