# **UXT Rabbit pAb**

Catalog No.: A4217



### **Basic Information**

#### **Observed MW**

17kDa

#### **Calculated MW**

18kDa

#### Category

Primary antibody

### **Applications**

ELISA,WB

#### **Cross-Reactivity**

Human

# **Background**

The protein encoded by this gene functions as a cofactor that modulates androgen receptordependent transcription, and also plays a critical role in tumor necrosis factor-induced apoptosis. Expression of this gene may play a role in tumorigenesis. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene.

## **Recommended Dilutions**

**WB** 

1:500 - 1:2000

# **Immunogen Information**

Gene ID 8409 Swiss Prot Q9UBK9

# Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 13-169 of human UXT (NP\_705582.1).

### **Synonyms**

SKP2; STAP1; ART-27; UXT

### **Contact**

<u>a</u>	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
$\overline{\Box}$	www.ahclonal.com.cn


### **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of extracts of various cell lines, using UXT antibody (A4217) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit  $\lg G$  (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 30s.