# **GNB5** Rabbit pAb

Catalog No.: A4447 2 Publications



# **Basic Information**

#### **Observed MW**

39kDa

#### **Calculated MW**

44kDa

#### Category

Primary antibody

## **Applications**

ELISA,WB

#### **Cross-Reactivity**

Human, Mouse, Rat

# **Background**

Heterotrimeric guanine nucleotide-binding proteins (G proteins), which integrate signals between receptors and effector proteins, are composed of an alpha, a beta, and a gamma subunit. These subunits are encoded by families of related genes. This gene encodes a beta subunit. Beta subunits are important regulators of alpha subunits, as well as of certain signal transduction receptors and effectors. Alternatively spliced transcript variants encoding different isoforms exist.

# **Recommended Dilutions**

**WB** 

1:500 - 1:2000

# **Immunogen Information**

Gene ID

Swiss Prot

10681

014775

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 1-200 of human GNB5 (NP\_006569.1).

# **Synonyms**

GB5; HG2E; IDDCA; LADCI; gbeta5; GNB5

# **Contact**

| 6         | 400-999-6126              |
|-----------|---------------------------|
| $\bowtie$ | cn.market@abclonal.com.cn |
| •         | www.abclonal.com.cn       |


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of extracts of various cell lines, using GNB5 antibody (A4447) at 1:1000 dilution.\_Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.\_Lysates/proteins: 25 $\mu$ g per lane.\_Blocking buffer: 3% nonfat dry milk in TBST.\_Detection: ECL Enhanced Kit (RM00021).\_Exposure time: 60s.