Leader in Biomolecular Solutions for Life Science

NEDD1 Rabbit pAb

Catalog No.: A5128



Basic Information

Observed MW 78kDa

Calculated MW 72kDa

Category Primary antibody

Applications WB,IF/ICC,ELISA

Cross-Reactivity Human, Mouse, Rat

Background

Predicted to be involved in protein localization to centrosome. Located in centrosome; nucleoplasm; and plasma membrane.

Recommended Dilutions

WB	1:500 - 1:2000
IF/ICC	1:50 - 1:200
ELISA	Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID 121441

Swiss Prot Q8NHV4

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

GCP-WD; TUBGCP7; NEDD1

Contact


6	400-999-6126
\mathbf{X}	cn.market@abclonal.com.cn
€	www.abclonal.com.cn

Product Information


Source Rabbit **Isotype** IgG Purification Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of various lysates using NEDD1 Rabbit pAb (A5128) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 30s.



Immunofluorescence analysis of L929 cells using NEDD1 Rabbit pAb (A5128) at dilution of 1:100. Secondary antibody: Cy3conjugated Goat anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.