

Catalog No.: A5798 3 Publications



Basic Information

Observed MW 50kDa

Calculated MW 48kDa

Category Primary antibody

Applications ELISA,WB

Cross-Reactivity Human, Mouse

Background

Interferon consensus sequence-binding protein (ICSBP) is a transcription factor of the interferon (IFN) regulatory factor (IRF) family. Proteins of this family are composed of a conserved DNA-binding domain in the N-terminal region and a divergent C-terminal region that serves as the regulatory domain. The IRF family proteins bind to the IFN-stimulated response element (ISRE) and regulate expression of genes stimulated by type I IFNs, namely IFN-alpha and IFN-beta. IRF family proteins also control expression of IFN-alpha and IFN-beta-regulated genes that are induced by viral infection.

Recommended Dilutions

1:100 - 1:500

Immunogen Information

WB

Gene ID 3394

Swiss Prot Q02556

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 137-426 of human IRF8 (NP_002154.1).

Synonyms

ICSBP; IRF-8; ICSBP1; IMD32A; IMD32B; H-ICSBP; IRF8


a 400-999-6126 x cn.market@abclonal.com.cn y www.abclonal.com.cn

Product Information

Source Rabbit **Isotype** IgG Purification Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of HL-60, using IRF8 antibody (A5798) at 1:400 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 180s.