# ETS2 Rabbit pAb

Catalog No.: A7329



## **Basic Information**

#### **Observed MW**

53kDa

### **Calculated MW**

53kDa

### Category

Primary antibody

### **Applications**

ELISA,WB,IF/ICC

#### **Cross-Reactivity**

Human, Mouse, Rat

# **Background**

This gene encodes a transcription factor which regulates genes involved in development and apoptosis. The encoded protein is also a protooncogene and shown to be involved in regulation of telomerase. A pseudogene of this gene is located on the X chromosome. Alternative splicing results in multiple transcript variants.

# **Recommended Dilutions**

**WB** 1:500 - 1:2000

**IF/ICC** 1:50 - 1:200

# **Immunogen Information**

**Gene ID**2114

Swiss Prot
P15036

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 76-170 of human ETS2 (NP\_005230.1).

### **Synonyms**

ETS2IT1; ETS2

### **Contact**

<b>a</b>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
$\overline{\Box}$	Т	www.ahclonal.com.cn


### **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.




Western blot analysis of extracts of various cell lines, using SPRY3 antibody (A7329) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 10s.



Immunofluorescence analysis of U-2 OS cells using ETS2 antibody (A7329) at dilution of 1:100. Blue: DAPI for nuclear staining.