# **EGR3** Rabbit pAb

Catalog No.: A7669 1 Publications



## **Basic Information**

#### **Observed MW**

43kDa

#### **Calculated MW**

43kDa

#### Category

Primary antibody

#### **Applications**

ELISA,WB

#### **Cross-Reactivity**

Human, Mouse

## **Background**

This gene encodes a transcriptional regulator that belongs to the EGR family of C2H2-type zinc-finger proteins. It is an immediate-early growth response gene which is induced by mitogenic stimulation. The protein encoded by this gene participates in the transcriptional regulation of genes in controling biological rhythm. It may also play a role in a wide variety of processes including muscle development, lymphocyte development, endothelial cell growth and migration, and neuronal development. Alternative splicing results in multiple transcript variants encoding distinct isoforms.

### **Recommended Dilutions**

**WB** 

1:500 - 1:2000

## **Immunogen Information**

Gene ID 1960 Swiss Prot Q06889

## Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-250 of human EGR3 (NP\_004421.2).

### **Synonyms**

EGR-3; PILOT; EGR3

### **Contact**

<b>a</b>	400-999-6126
<b>×</b>	cn.market@abclonal.com.cn
$\overline{\Box}$	www abclonal com cn

#### **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

## **Validation Data**



Western blot analysis of extracts of SKOV3 cells, using EGR3 antibody (A7669) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit  $\log$  (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit (RM00021).

Exposure time: 30s.