# ALDH1L1 Rabbit mAb

Catalog No.: A7707 Recombinant 1 Publications



## **Basic Information**

### **Observed MW**

100kDa

### **Calculated MW**

99kDa

### Category

Primary antibody

### **Applications**

WB,IHC-P,IF/ICC,ELISA

### **Cross-Reactivity**

Human, Mouse, Rat

#### CloneNo number

ARC1432

## **Background**

The protein encoded by this gene catalyzes the conversion of 10-formyltetrahydrofolate, nicotinamide adenine dinucleotide phosphate (NADP+), and water to tetrahydrofolate, NADPH, and carbon dioxide. The encoded protein belongs to the aldehyde dehydrogenase family. Loss of function or expression of this gene is associated with decreased apoptosis, increased cell motility, and cancer progression. There is an antisense transcript that overlaps on the opposite strand with this gene locus. Alternative splicing results in multiple transcript variants.

## **Recommended Dilutions**

**WB** 1:1000 - 1:2000

IHC-P 1:200 - 1:2000

**IF/ICC** 1:100 - 1:400

**ELISA** Recommended starting

concentration is 1 µg/mL.

Please optimize the
concentration based on
your specific assay
requirements.

## **Immunogen Information**

**Gene ID** Swiss Prot 10840 075891

### **Immunogen**

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

### **Synonyms**

FDH; FTHFD; 10-fTHF; 10-FTHFDH; ALDH1L1

## **Contact**

<b>a</b>		400-999-6126
×		cn.market@abclonal.com.cn
$\overline{\Box}$	ī	www.ahclonal.com.cn


### **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide, 0.05% BSA, 50% glycerol, pH7.3.





Western blot analysis of various lysates, using ALDH1L1 Rabbit mAb (A7707) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit lgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins:  $25\mu g$  per lane.


Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).


Exposure time: 90s.







Immunohistochemistry analysis of paraffinembedded Human liver using ALDH1L1 Rabbit mAb (A7707) at dilution of 1:200 (40x lens). High pressure antigen retrieval performed with 0.01M Citrate buffer (pH 6.0) prior to IHC staining.



Immunohistochemistry analysis of paraffinembedded Rat kidney using ALDH1L1 Rabbit mAb (A7707) at dilution of 1:200 (40x lens). High pressure antigen retrieval performed with 0.01M Citrate buffer (pH 6.0) prior to IHC staining.