

SNX32 Rabbit pAb

Catalog No.: A8006

Basic Information

Observed MW

46kDa

Calculated MW

46kDa

Category

Primary antibody

Applications

ELISA, WB, IF/ICC

Cross-Reactivity

Human, Mouse, Rat

Background

Predicted to enable phosphatidylinositol binding activity. Predicted to be involved in retrograde transport, endosome to Golgi. Predicted to be located in cytosol. Predicted to be active in endosome.

Recommended Dilutions

WB 1:1000 - 1:5000

IF/ICC 1:100 - 1:500

Immunogen Information

Gene ID

254122

Swiss Prot

Q86XE0

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 218-285 of human SNX32 (NP_689973.2).

Synonyms

SNX6B; SNX32

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage


Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.


Validation Data




Western blot analysis of lysates from Mouse brain using SNX32 Rabbit pAb(A8006) at 1:3000 dilution.
Secondary antibody:HRP Goat Anti-Rabbit IgG (H+L)(AS014) at 1:10000 dilution.
Lysates/proteins: 25 µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection:ECL Basic Kit (RM00020).
Exposure time:180s.



Immunofluorescence analysis of HeLa cells using SNX32 Rabbit pAb (A8006) at dilution of 1:300 (40x lens). Secondary antibody: Cy3 Goat Anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.



Immunofluorescence analysis of PC-12 cells using SNX32 Rabbit pAb (A8006) at dilution of 1:300 (40x lens). Secondary antibody: Cy3 Goat Anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.



Immunofluorescence analysis of U2OS cells using SNX32 Rabbit pAb (A8006) at dilution of 1:300 (40x lens). Secondary antibody: Cy3 Goat Anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.