CEMIP Rabbit pAb

Catalog No.: A8587 6 Publications



Basic Information

Observed MW

180kDa

Calculated MW

153kDa

Category

Primary antibody

Applications

ELISA,WB

Cross-Reactivity

Human, Mouse

Background

Enables several functions, including clathrin heavy chain binding activity; hyaluronic acid binding activity; and hyalurononglucosaminidase activity. Involved in several processes, including hyaluronan catabolic process; positive regulation of protein phosphorylation; and positive regulation of transport. Located in clathrin-coated endocytic vesicle; endoplasmic reticulum; and plasma membrane.

Recommended Dilutions

WB

1:500 - 1:2000

Immunogen Information

Gene ID

Swiss Prot

57214

Q8WUJ3

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 180-420 of human CEMIP (NP_001280227.1).

Synonyms

CCSP1; HYBID; TMEM2L; KIAA1199; CEMIP

Contact

6	400-999-6126
\bowtie	cn.market@abclonal.com.cn
$\overline{\bullet}$	www.abclonal.com.cn


Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.



Western blot analysis of various lysates using CEMIP Rabbit pAb (A8587) at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: $25\mu g$ per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit (RM00021). Exposure time: 90s.