Leader in Biomolecular Solutions for Life Science

## **CRNN Rabbit pAb**

Catalog No.: A8762



### **Basic Information**

Observed MW 60kDa

Calculated MW 54kDa

Category Primary antibody

Applications WB,ELISA

Cross-Reactivity Human, Mouse

### Background

This gene encodes a member of the "fused gene" family of proteins, which contain Nterminus EF-hand domains and multiple tandem peptide repeats. The encoded protein contains two EF-hand Ca2+ binding domains in its N-terminus and two glutamine- and threonine-rich 60 amino acid repeats in its C-terminus. This gene, also known as squamous epithelial heat shock protein 53, may play a role in the mucosal/epithelial immune response and epidermal differentiation.

### **Recommended Dilutions**

WB	1:500 - 1:1000
ELISA	Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## Immunogen Information

# **Gene ID** 49860

Swiss Prot Q9UBG3

#### Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

DRC1; PDRC1; SEP53; C1orf10; CRNN

### Contact


6	400-999-6126
$\times$	cn.market@abclonal.com.cn
€	www.abclonal.com.cn

### **Product Information**

**Source** Rabbit **Isotype** IgG **Purification** Affinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of lysates from HepG2 cells, using CRNN Rabbit pAb (A8762) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 10s.