

# NFIB / NF1B2 Rabbit mAb

Catalog No.: A9125 **Recombinant**

## Basic Information

### Observed MW

47kDa

### Calculated MW

47kDa

### Category

Primary antibody

### Applications

ELISA, WB

### Cross-Reactivity

Human, Mouse

### CloneNo number

ARC1859

## Background

Enables DNA-binding transcription activator activity, RNA polymerase II-specific; RNA polymerase II cis-regulatory region sequence-specific DNA binding activity; and transcription regulator inhibitor activity. Involved in brain development; negative regulation of DNA binding activity; and regulation of transcription by RNA polymerase II. Located in fibrillar center and nucleoplasm.

## Recommended Dilutions

WB 1:500 - 1:1000

## Immunogen Information

### Gene ID

4781

### Swiss Prot

O00712

### Immunogen

A synthetic peptide corresponding to a sequence within amino acids 321-420 of human NFIB / NF1B2 (NP\_005587.2).

### Synonyms

CTF; MACID; NF1-B; NFI-B; NFIB2; NFIB3; NF-I/B; NFI-RED; HMGIC/NFIB; NFIB / NF1B2

## Contact

☎ | 400-999-6126

✉ | [cn.market@abclonal.com.cn](mailto:cn.market@abclonal.com.cn)

🌐 | [www.abclonal.com.cn](http://www.abclonal.com.cn)

## Product Information

### Source

Rabbit

### Isotype

IgG

### Purification

Affinity purification


### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide, 0.05% BSA, 50% glycerol, pH7.3.

## Validation Data

---



Western blot analysis of extracts of various cell lines, using NFIB / NF1B2 antibody (A9125) at 1:1000 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 180s.