# **ABclonal** www.abclonal.com

# Phospho-VANGL2-T78/S79/S82 Rabbit mAb

Catalog No.: AP1206 Recombinant 1 Publications

### **Basic Information**

### **Observed MW**

60kDa

### **Calculated MW**

60kDa

### Category

Primary antibody

### **Applications**

ELISA,WB

#### **Cross-Reactivity**

Human, Mouse, Rat

#### CloneNo number

ARC5008-03

# **Background**

The protein encoded by this gene is a membrane protein involved in the regulation of planar cell polarity, especially in the stereociliary bundles of the cochlea. The encoded protein transmits directional signals to individual cells or groups of cells in epithelial sheets. This protein is also involved in the development of the neural plate.

# **Recommended Dilutions**

**WB** 

1:500 - 1:1000

# **Immunogen Information**

**Gene ID** 

**Swiss Prot** Q9ULK5

57216

#### **Immunogen**

A phospho specific peptide corresponding to residues surrounding T78/S79/S82 of human VANGL2

### **Synonyms**

LPP1; LTAP; STB1; STBM; STBM1; Phospho-VANGL2-T78/S79/S82

## **Contact**

2		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

# **Product Information**


**Purification** Source Isotype Rabbit IgG Affinity purification

## Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,0.05% BSA,50% glycerol,pH7.3.

# **Validation Data**



Western blot analysis of various lysates using Phospho-VANGL2-T78/S79/S82 Rabbit mAb (AP1206) at 1:1000 dilution. HeLa cells and NIH/3T3 cells and C6 cells were treated by wnt(100ng/ml) for 30 minutes. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 60s.