# Phospho-Beclin 1-Ser93 Rabbit pAb

Catalog No.: AP1287



## **Basic Information**

#### **Observed MW**

60kDa

#### **Calculated MW**

52kDa

#### Category

Primary antibody

## **Applications**

ELISA,WB

#### **Cross-Reactivity**

Human

## **Background**

This gene encodes a protein that regulates autophagy, a catabolic process of degradation induced by starvation. The encoded protein is a component of the phosphatidylinositol-3-kinase (PI3K) complex which mediates vesicle-trafficking processes. This protein is thought to play a role in multiple cellular processes, including tumorigenesis, neurodegeneration and apoptosis. Alternative splicing results in multiple transcript variants.

## **Recommended Dilutions**

WB

1:100 - 1:500

# **Immunogen Information**

Gene ID 8678 Swiss Prot

Q14457

#### **Immunogen**

A synthetic phosphorylated peptide around S93 of human Beclin 1 (NP\_003757.1).

## **Synonyms**

ATG6; VPS30; beclin1; Phospho-Beclin 1-Ser93

## **Contact**

2		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

## **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20  $^{\circ}\text{C}.$  Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.

# **Validation Data**



Western blot analysis of extracts of HeLa cells, using Phospho-Beclin 1-Ser93 antibody (AP1287) at 1:500 dilution. HeLa cells were treated by Calyculin A (100 nM) at  $37^{\circ}\text{C}$  for 30 minutes.

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Enhanced Kit (RM00021).

Exposure time: 180s.