

# [One Step] NDUFS5 antibody Kit

Catalog No.: RK05735

## Basic Information

**Observed MW**

**Calculated MW**

**Category**

Primary antibody

## Background

### Component

| Catalog No. | Product Name                   | Applications     | Cross-Reactivity  |
|-------------|--------------------------------|------------------|-------------------|
| AS014       | HRP Goat Anti-Rabbit IgG (H+L) | ELISA, WB, IHC-P |                   |
| A1265       | NDUFS5 Rabbit pAb              | WB               | Human, Mouse, Rat |

## Recommended Dilutions

**AS014 ELISA** 1:5000 - 1:10000

**A1265 WB** 1:1000 - 1:2000

For more information please visit  
[www.abclonal.com](http://www.abclonal.com)


## Product Information

**Source**                      **Isotype**

**Purification**

**Storage**

## Contact

 | 400-999-6126

 | [cn.market@abclonal.com.cn](mailto:cn.market@abclonal.com.cn)

 | [www.abclonal.com.cn](http://www.abclonal.com.cn)

## Immunogen Information

**Gene ID**

**Swiss Prot**


**Immunogen**

Rabbit IgG

Recombinant fusion protein containing a sequence corresponding to amino acids 1-106 of human NDUFS5 (NP\_004543.1).

**Synonyms**

## Validation Data




Western blot analysis of lysates from HeLa cells, using GAPDH (AC001) antibody as the primary antibody at dilution of 1:80000.

Secondary antibody: using HRP Goat Anti-Rabbit IgG (H+L) antibody (AS014) at 1:4000-1:10000 dilution. Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 3s.



Immunohistochemistry analysis of HRP Goat Anti-Rabbit IgG (H+L) in paraffin-embedded human testis tissue using HRP Goat Anti-Rabbit IgG (H+L) (AS014) at a dilution of 1:100 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining.