

# RBFOX3 Knockdown 293T Cell Line, Heterozygous

Catalog No.: RM01843

# **Basic Information**

# Catalog No.

RM01843

#### Category

Cell Line

#### **Parental Cell line**

293T

#### Genotype

Knockdown

# Gene Information

#### **Gene Symbol**

RBFOX3

## **Species**

Human

#### **Gene ID**

146713

#### **Swiss Prot**

A6NFN3

#### **Synonyms**

FOX-3; FOX3; HRNBP3; NEUN

#### **Contact**

2	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

# **Background**

### **Product Information**

#### **Description**

RBFOX3 Knockdown 293T cell line is engineered from 293T cell line with Gene-Editing Technology.

Allele-1:110bp deletion in exon1

Allele-2:111bp deletion in exon1

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles. Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins. Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

#### **Packaging**

1 vial parental cell line and 1 vial knockout cell line

#### **Shipping Conditions**

**Amount** 

Dry ice

1~5x10<sup>6</sup> cells/vial.

#### Storage

Stored in liquid nitrogen for a long time less than -130°C. Minimizing freeze-thaw cycles.

#### **Protocol**

Upon arrival, it should be maintained in DMEM medium with 10%(v/v) fetal bovine serum and 100U penicillin-streptomycin, at 37°C with 5%  $\rm CO_2$  condition.


- 1. Thaw the vial in 37°C water bath ,and shake it to melt as soon as possible.
- 2. Transfer the cell suspension to a 15mL conical tube with pre-warmed 5mL complete medium and centrifuge 1000rpm for approximately 5 minutes at room temperature.
- 3. Remove and discard the supernatant.
- 4. Resuspend the cell pellet with 1mL pre-warmed complete medium and seed in 10cm dish.
- 5. Add 8-10mL of complete medium.
- 6. Incubate the culture at 37°C incubator with 5% CO<sub>2</sub>.
- 7. A subcultivation ratio of 1:2-1:4 is recommended.

# Sequencing data

WT CACCGCACCCCACG\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*GCCGGGACCCAGAC
Mut CACCGCACCCCACG\*\*\*Deletion\*\*\*GCCGGGACCCAGAC
Allele-2: 111bp deletion in exon1

Genome sequence analysis of PCR products from parental (WT) and RBFOX3 Knockdown (KD) 293T cells, using sanger sequencing.

# **WB** data



Western blot analysis of extracts from parental (Control) and RBFOX3 knockdown (KD) 293T cells, using RBFOX3 antibody at 1:1000 dilution.