

HMOX1 Knockout HeLa Cell Lysate, Homozygous

Catalog No.: RM01981

Basic Information

Catalog No.

RM01981

Category

Cell Lysate

Parental Cell line

HeLa

Genotype

Knockout

Gene Information

Gene Symbol

HMOX1

Species

Human

Gene ID

3162

Swiss Prot

P09601

Synonyms

HMOX1D; HO-1; HSP32; bK286B10

Contact

 | 400-999-6126 | cn.market@abclonal.com.cn | www.abclonal.com.cn

Background

Heme oxygenase, an essential enzyme in heme catabolism, cleaves heme to form biliverdin, which is subsequently converted to bilirubin by biliverdin reductase, and carbon monoxide, a putative neurotransmitter. Heme oxygenase activity is induced by its substrate heme and by various nonheme substances. Heme oxygenase occurs as 2 isozymes, an inducible heme oxygenase-1 and a constitutive heme oxygenase-2. HMOX1 and HMOX2 belong to the heme oxygenase family. [provided by RefSeq, Jul 2008]

Product Information

Description

HMOX1 Knockout HeLa Cell Line is engineered from HeLa cell line with Gene-Editing technology.

Allele-1:exon2 was deleted

Allele-2:exon2 was deleted

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles.

Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins.

Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

Packaging

1 vial parental cell Lysate and 1 vial knockout cell Lysate

Shipping Conditions

4°C

Amount

50µL, 2µg/µL.

Storage

Lysate is stable for 12 months when stored at -20°C. Minimizing freeze-thaw cycles.

Protocol

To be used as WB control. Lysate is supplied in 1× SDS sample buffer (2% SDS, 60 mM Tris-HCl pH 6.8, 10% Glycerol, 0.02% Bromophenol blue, 60 mM beta-mercaptoethanol). Lysate should be boiled for 3 - 5 minutes before loading onto gel.

Sequencing data

WT AGCATGCCCCAGGA*****ATGTGGCTTGGTGG
Mut AGCATGCCCCAGGA***Deletion***ATGTGGCTTGGTGG
Allele-1: 109bp deletion in exon2

Genome sequence analysis of PCR products from parental (WT) and HMOX1 knockout (KO) HeLa cells, using sanger sequencing.

WT AGCATGCCCCAGGA*****ATGTGGCTTGGTGG
Mut AGCATGCCCCAGGA***Deletion***ATGTGGCTTGGTGG
Allele-2: 109bp deletion in exon2