Leader in Biomolecular Solutions for Life Science

# CDKL1 Knockout NIH/3T3 Cell Line, Homozygous

Catalog No.: RM02153

**Basic Information** 

Catalog No. RM02153

Category Cell Line

Parental Cell line NIH/3T3

Genotype Knockout

# **Gene Information**

Gene Symbol CDKL1

Species Mouse

**Gene ID** 71091

**Synonyms** 4933411017Rik

# Contact

6	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
€	www.abclonal.com.cn

# **Product Information**

## Description

CDKL1 Knockout NIH/3T3 Cell Line is engineered from NIH/3T3 cell line with Gene-Editing Technology.

Allele-1:64bp deletion in exon1 Allele-2:64bp deletion in exon1

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles.

Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins. Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

## Packaging

1 vial parental cell line and 1 vial knockout cell line

#### Shipping Conditions Dry ice

Amount 1~5x10<sup>6</sup> cells/vial

## Storage

Stored in liquid nitrogen for a long time less than -130°C. Minimizing freeze-thaw cycles.

## Protocol

Upon arrival, it should be maintained in DMEM medium with 10%(v/v) fetal bovine serum and 100U penicillin-streptomycin, at  $37^{\circ}$ C with 5% CO<sub>2</sub> condition.

- 1. Thaw the vial in 37°C water bath ,and shake it to melt as soon as possible.
- 2. Transfer the cell suspension to a 15mL conical tube with pre-warmed 5mL complete medium and centrifuge 1000rpm for approximately 5 minutes at room temperature.
- 3. Remove and discard the supernatant.
- 4. Resuspend the cell pellet with 1mL pre-warmed complete medium and seed in 10cm dish.
- 5. Add 8-10mL of complete medium.
- 6. Incubate the culture at 37°C incubator with 5%  $CO_2$ .
- 7. A subcultivation ratio of 1:2-1:4 is recommended.

ABclonal



# Sequencing data

WT GGACACGGGTCAGA\*\*\*\*\*\*\*\*\*\*\*\*AGAAATCCGCATGC Mut GGACACGGGTCAGA\*\*\*Deletion\*\*\*AGAAATCCGCATGC Allele-1: 64bp deletion in exon1

WT GGACACGGGTCAGA\*\*\*\*\*\*\*\*\*\*AGAAATCCGCATGC Mut GGACACGGGTCAGA\*\*\*Deletion\*\*\*AGAAATCCGCATGC Allele-2: 64bp deletion in exon1 Genome sequence analysis of PCR products from parental (WT) and CDKL1 knockout (KO) NIH/3T3 cells, using sanger sequencing.