Leader in Biomolecular Solutions for Life Science

# PCIF1 Knockout 293T Cell Line, Homozygous

Catalog No.: RM02202

**Basic Information** 

Catalog No. RM02202

Category Cell Line

**Parental Cell line** 293T

Genotype Knockout

## **Gene Information**

Gene Symbol PCIF1

Species Human

Gene ID 63935

**Swiss Prot** Q9H4Z3

**Synonyms** C20orf67; PPP1R121

## Contact

6	400-999-6126
$\times$	cn.market@abclonal.com.cn
€	www.abclonal.com.cn

# **Product Information**

### Description

PCIF1 Knockout cell line is engineered from 293T cell line with Gene-Editing Technology. Allele-1:exon1 was deleted Allele-2:exon1 was deleted

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles. Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins. Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

## Packaging

1 vial parental cell line and 1 vial knockout cell line

## **Shipping Conditions**

Dry ice

Amount 1~5x10<sup>6</sup> cells/vial

#### Storage

Stored in liquid nitrogen for a long time less than -130°C. Minimizing freeze-thaw cycles.

### Protocol

Upon arrival, it should be maintained in DMEM medium with 10%(v/v) fetal bovine serum and 100U penicillin-streptomycin, at 37°C with 5% CO<sub>2</sub> condition.

- 1. Thaw the vial in 37°C water bath ,and shake it to melt as soon as possible.
- 2. Transfer the cell suspension to a 15mL conical tube with pre-warmed 5mL complete medium and centrifuge 1000rpm for approximately 5 minutes at room temperature. 3. Remove and discard the supernatant.
- 4. Resuspend the cell pellet with 1mL pre-warmed complete medium and seed in 10cm dish.
- 5. Add 8-10mL of complete medium.
- 6. Incubate the culture at 37°C incubator with 5% CO<sub>2</sub>.
- 7. A subcultivation ratio of 1:2-1:4 is recommended.

ABclomal www.abclonal.com



Background

# Sequencing data

WT TTGTAATTGGCGGG\*\*\*\*Deletion\*\*\*AGTGGGGTGGGGGG Mut TTGTAATTGGCGGG\*\*\*Deletion\*\*\*AGTGGGGTGGGG Allele-1: exon1 was deleted

WT TTGTAATTGGCGGG\*\*\*\*Deletion\*\*\*AGTGGGGTGGGGG Mut TTGTAATTGGCGGG\*\*\*Deletion\*\*\*AGTGGGGTGGGGG Allele-2: exon1 was deleted Genome sequence analysis of PCR products from parental (WT) and PCIF1 knockout (KO) 293T cells, using sanger sequencing.