# FTO Knockout 293T Cell Lysate, Homozygous

Catalog No.: RM02270



## **Basic Information**

Catalog No. RM02270

Category Cell Lysate

Parental Cell line 293T

Genotype Knockout

## **Gene Information**

Gene Symbol FTO

Species Human

Gene ID 79068

Swiss Prot Q9C0B1

**Synonyms** ALKBH9; BMIQ14; GDFD

## Contact

6	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
€	www.abclonal.com.cn

## Background

This gene is a nuclear protein of the AlkB related non-haem iron and 2-oxoglutaratedependent oxygenase superfamily but the exact physiological function of this gene is not known. Other non-heme iron enzymes function to reverse alkylated DNA and RNA damage by oxidative demethylation. Studies in mice and humans indicate a role in nervous and cardiovascular systems and a strong association with body mass index, obesity risk, and type 2 diabetes. [provided by RefSeq, Jul 2011]

## **Product Information**

#### Description

FTO Knockout 293T Cell Line is engineered from 293T cell line with Gene-Editing technology. Allele-1:52bp deletion in exon3

Allele-2:52bp deletion in exon3

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles. Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins. Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

#### Packaging

1 vial parental cell Lysate and 1 vial knockout cell Lysate

## **Shipping Conditions**

**Amount** 50μL, 2μg/μL.

#### Storage

Lysate is stable for 12 months when stored at -20°C. Minimizing freeze-thaw cycles.

#### Protocol

To be used as WB control. Lysate is supplied in  $1 \times$  SDS sample buffer (2% SDS, 60 mM Tris-HCl pH 6.8, 10% Glycerol, 0.02% Bromophenol blue, 60 mM beta-mercaptoethanol). Lysate should be boiled for 3 - 5 minutes before loading onto gel.

## Sequencing data

WT CTGCTTATTTCGGG\*\*\*\*\*\*\*\*\*\*CATTGGTAATCCAG Mut CTGCTTATTTCGGG\*\*\*Deletion\*\*\*CATTGGTAATCCAG Allele-1: 52bp deletion in exon3

WT CTGCTTATTTCGGG\*\*\*\*\*\*\*\*\*\*\*CATTGGTAATCCAG Mut CTGCTTATTTCGGG\*\*\*Deletion\*\*\*CATTGGTAATCCAG Allele-2: 52bp deletion in exon3 Genome sequence analysis of PCR products from parental (WT) and FTO knockout (KO) 293T cells, using sanger sequencing.