# ABclonal www.abclonal.com

## **HPRT1** Knockout 293T Cell Lysate, Homozygous

Catalog No.: RM02392

#### **Basic Information**

#### Catalog No.

RM02392

#### Category

Cell Lysate

#### **Parental Cell line**

293T

#### Genotype

Knockout

#### **Background**

The protein encoded by this gene is a transferase, which catalyzes conversion of hypoxanthine to inosine monophosphate and guanine to guanosine monophosphate via transfer of the 5-phosphoribosyl group from 5-phosphoribosyl 1-pyrophosphate. This enzyme plays a central role in the generation of purine nucleotides through the purine salvage pathway. Mutations in this gene result in Lesch-Nyhan syndrome or gout.[provided by RefSeq, Jun 2009]

#### **Gene Information**

#### **Gene Symbol**

HPRT1

#### **Species**

Human

#### **Gene ID**

3251

#### **Swiss Prot**

P00492

#### **Synonyms**

HGPRT; HPRT

#### **Contact**

<u>a</u>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

#### **Product Information**

#### **Description**

HPRT1 Knockout 293T Cell Line is engineered from 293T cell line with Gene-Editing technology.

Allele-1:exon1 was deleted

Allele-2:exon1 was deleted

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles. Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins. Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

#### **Packaging**

1 vial parental cell Lysate and 1 vial knockout cell Lysate

**Shipping Conditions** 4°C

Amount

50μL, 2μg/μL.

#### Storage

Lysate is stable for 12 months when stored at -20  $^{\circ}$ C. Minimizing freeze-thaw cycles.

#### **Protocol**

To be used as WB control. Lysate is supplied in  $1\times$  SDS sample buffer (2% SDS, 60 mM Tris-HCl pH 6.8, 10% Glycerol, 0.02% Bromophenol blue, 60 mM beta-mercaptoethanol). Lysate should be boiled for 3 - 5 minutes before loading onto gel.

### Sequencing data

WT CGCGCCGGCCGGCT\*\*\*\*\*\*\*\*\*\*AGTGCGGGCTCGGG
Mut CGCGCCGGCCGGCT\*\*\*Deletion\*\*\*AGTGCGGGCTCGGG

Allele-1: exon1 was deleted

WT CGCGCCGGCCT\*\*\*\*\*\*\*\*AGTGCGGGCTCGGG
Mut CGCGCCGGCCGGCT\*\*\*Deletion\*\*\*AGTGCGGGCTCGGG

Allele-2: exon1 was deleted

Genome sequence analysis of PCR products from parental (WT) and HPRT1 knockout (KO) 293T cells, using sanger sequencing.