

# CA125 Knockdown HeLa Cell Line, Heterozygous

Catalog No.: RM02517

### **Basic Information**

#### Catalog No.

RM02517

### Category

Cell Line

#### **Parental Cell line**

HeLa

#### Genotype

Knockdown

### **Gene Information**

### **Gene Symbol**

CA125

#### **Species**

Human

#### Gene ID

94025

#### **Swiss Prot**

Q8WXI7

#### Synonyms

CA125

#### Contact

2	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

## **Background**

## **Product Information**

CA125 Knockdown HeLa Cell Line is engineered from HeLa cell line with Gene-Editing technology.

Allele-1:57bp deletion in exon1;

Allele-2:34bp deletion in exon1

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles. Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins. Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

#### **Packaging**

1 vial parental cell line and 1 vial knockout cell line

#### **Shipping Conditions Amount** Dry ice 1~5x106 cells/vial

Stored in liquid nitrogen for a long time less than -130°C. Minimizing freeze-thaw cycles.

Upon arrival, it should be maintained in DMEM medium with 10%(v/v) fetal bovine serum and 100U penicillin-streptomycin, at 37°C with 5% CO<sub>2</sub> condition.

- 1. Thaw the vial in 37°C water bath ,and shake it to melt as soon as possible.
- 2. Transfer the cell suspension to a 15mL conical tube with pre-warmed 5mL complete medium and centrifuge 1000rpm for approximately 5 minutes at room temperature.
- 3. Remove and discard the supernatant.
- 4. Resuspend the cell pellet with 1mL pre-warmed complete medium and seed in 10cm dish.
- 5. Add 8-10mL of complete medium.
- 6. Incubate the culture at 37°C incubator with 5% CO<sub>2</sub>.
- 7. A subcultivation ratio of 1:2-1:4 is recommended.

## Sequencing data

WT TCCTACATCTTCGG\*\*\*\*\*\*\*\*\*\*\*\*\*CCTCTAGAGGAATG
Mut TCCTACATCTTCGG\*\*\*Deletion\*\*\*CCTCTAGAGGAATG
Allele-1: 57bp deletion in exon1

WT ATCTTCGG\*\*\*\*\*\*\*\*GG\*\*\*CT\*\*\*CTCTAGAGGAATGAC
Mut ATCTTCGG\*Deletion\*GG\*\*\*CT\*\*\*CTCT———TGAC
Allele-2: 34bp deletion in exon1

Genome sequence analysis of PCR products from parental (WT) and CA125 Knockdown (KD) HeLa cells, using sanger sequencing.