Rabbit anti-Human IL-12 p70 mAb



Catalog No.: RM17739

Basic Information

Catalog No.

RM17739

Catagory

Elisa Antibody Kit

Application

ELISA, Multiplex, CLIA

Product Information

Ig Type

Rabbit IgG

Purification

Affinity purification

Endotoxin Level

Storage

Store at -20°C.

Avoid repeated freeze-thaw cycles.

Formulation

Supplied as a 0.2 μ m filtered solution in PBS with 0.05% Proclin300, PH 7.4.

Contact

•	order@abclonal.com
8	support@abclonal.com
•	www.abclonal.com

Background

IL-12 is a heterodimeric cytokine composed of p40 and p35 subunits and is considered a largely pro-inflammatory cytokine. It is naturally produced by dendritic cells, macrophages, neutrophils, and human B-lymphoblastoid cells. IL-12?is crucial for the recruitment and effector functions of CD8+?T and NK cells.

Immunogen Information

Immunogen

Recombinant IL-12 p70 Protein

Cross-Reactivity


No cross-reactivity in ELISA assay with recombinant hG-CSF[hlL-6]rlL-6

Assay Applications


Human IL-12 p70 ELISA/CLIA

		Recommended Concentration	Sample
ELISA	Capture	0.5-2ug/mL	Rabbit anti-Human IL-12 p70 mAb(Cat. No.RM17739)
	Detection	0.02-0.08ug/mL	Rabbit anti-Human IL-12 p70 mAb(Cat. No.RM17740∏
	Standard	31.25-2000pg/mL	Recombinant Human IL-12 p70 Protein


CLIA	Capture	1-4ug/mL	Rabbit anti-Human IL-12 p70 mAb(Cat. No.RM17746)
	Detection	0.5-2ug/mL	Rabbit anti-Human IL-12 p70 mAb(Cat. No.RM17739)
	Standard	0.1-10ng/mL	Recombinant Human IL-12 p70 Protein




This standard curve is only for demonstration purposes. A standard curve should be generated for each ssay.




This standard curve is only for demonstration purposes. A standard curve should be generated for each ssay.



No significant cross-reactivity or interference was observed.



No significant cross-reactivity or interference was observed.



Placed at 37°C for 3 days, the stability of the standard curve all conformto CV <10%.