Rabbit anti-Human IL-4 mAb (CAP)



Catalog No.: RM17744

Basic Information

Catalog No.

RM17744

Catagory

Elisa Antibody Kit

Application

CLIA

Product Information

Ig Type

Rabbit IgG

Purification

Affinity purification

Endotoxin Level

Storage

This antibody can be stored at 2°C-8°C for one monthwithout detectable loss of activity. Antibody products are stable for twelve months fromdate of receipt when stored at -20°C to -80°C. Preservative-Free.

Avoid repeated freeze-thaw cycles.

Formulation

Supplied as a 0.2umfiltered solution in PBS with 0.1% Braveds MB-1, Ph7.4.

Contact

:	order@abclonal.com
<u>a</u>	support@abclonal.com
•	www.abclonal.com

Background

Interleukin-4, is a cytokine that induces differentiation of naive helper T cells (Th0 cells to Th2 cells). In the presence of IL-4 and IL-13, cytokines that are produced in a Th-2 type response, particularly during allergy and parasitic infections, macrophages become differentially activated, And this cytokine is a ligand for interleukin 4 receptor. The interleukin 4 receptor also binds to IL13, which may contribute to many overlapping functions of this cytokine and IL13. STAT6, a signal transducer and activator of transcription, has been shown to play a central role in mediating the immune regulatory signal of this cytokine. Recently, researcher found that the cytokine IL-4 plays a key role in development of innate CD8+ T cells in the thymus of several gene-deficient mouse strains, including Itk, KLF2, CBP and Id3, without previous exposure to antigen.

Immunogen Information

Immunogen

Recombinant Human IL-4 Protein

Cross-Reactivity

No cross-reactivity in ELISA assay with recombinant hIL-13 \square mGM-CSF \square mIL-13 \square mIL-4 \square rIL-4

Assay Applications

Human IL-4 Sanwich CLIA Immunoassay

	Recommended Concentration	Sample
CLIA Capture	1-4ug/mL	Rabbit anti-Human IL-4(CAP)(Cat. No.RM17744)
CLIA Detection	0.5-2ug/mL	Rabbit anti-Human IL-4(DET)(Cat. No.RM17745)
Standard	0.1-10ng/mL	Recombinant Human IL-4 Protein

