Rabbit anti-Human Cathepsin B mAb (DET)



Catalog No.: RM17875

Basic Information

Catalog No. RM17875

Catagory Elisa Antibody Kit

Application ELISA

Product Information

Ig Type Rabbit IgG

Purification Affinity purification

Endotoxin Level

Storage

Store at -20°C. Avoid freeze / thaw cycles. Preservative[]0.05%ProClin 300. Avoid repeated freeze-thaw cycles.

Formulation

Supplied as a 0.2um filtered solution in PBS with 0.05%ProClin 300,PH 7.4.

Contact

-	order@abclonal.com
6	support@abclonal.com
€	www.abclonal.com

Background

This gene encodes a member of the C1 family of peptidases. Alternative splicing of this gene results in multiple transcript variants. At least one of these variants encodes a preproprotein that is proteolytically processed to generate multiple protein products. These products include the cathepsin B light and heavy chains, which can dimerize to form the double chain form of the enzyme. This enzyme is a lysosomal cysteine protease with both endopeptidase and exopeptidase activity that may play a role in protein turnover. It is also known as amyloid precursor protein secretase and is involved in the proteolytic processing of amyloid precursor protein (APP). Incomplete proteolytic processing of APP has been suggested to be a causative factor in Alzheimer's disease, the most common cause of dementia. Overexpression of the encoded protein has been associated with esophageal adenocarcinoma and other tumors. Both Cathepsin B and Cathepsin L are involved in the cleavage of the spike protein from the severe acute respiratory syndrome coronavir...

Immunogen Information

Immunogen

Recombinant Human Neurogranin


Cross-Reactivity

/

Assay Applications

Human Cathepsin B Sandwich ELISA Immunoassay

	Recommended Concentration	Sample
ELISA Capture	2-8ug/mL	Rabbit anti-Human Cathepsin B (CAP)(Cat. No.RM17874)
ELISA Detection	0.0006-0.0024ug/mL	Rabbit anti-Human Cathepsin B (DET)(Cat. No.RM17875)
Standard	0.31-20ng/mL	Recombinant Human Cathepsin B Protein



This standard curve is only for demonstration purposes. A standard curve should be generated for eachassay.