

RABEP1 Knockout 293T Cell Lysate, Homozygous

Catalog No.: RM50008

Basic Information

Catalog No.

RM50008

Category

Cell Lysate

Parental Cell line

293T

Genotype

Knockout

Background

Enables protein domain specific binding activity and protein homodimerization activity. Involved in vesicle-mediated transport. Located in endocytic vesicle and endosome. Part of protein-containing complex.

Gene Information

Gene Symbol

RABEP1

Species

Human

Gene ID

9135

Swiss Prot

Q15276

Synonyms

RAB5EP; RABPT5; RABEP1

Contact

<u>a</u>	400-999-6126
\bowtie	cn.market@abclonal.com.cn
•	www.abclonal.com.cn

Product Information

Description

RABEP1 Knockout cell line is engineered from 293T cell line with Gene-Editing Technology. Allele-1:exon1 was deleted

Allele-2:exon1 was deleted

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles. Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins. Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

Packaging

1 vial parental cell Lysate and 1 vial knockout cell Lysate

Shipping ConditionsAmount $4^{\circ}C$ 50μ L, 2μ g/ μ L.

Storage

Lysate is stable for 12 months when stored at -20°C. Minimizing freeze-thaw cycles.

Protocol

To be used as WB control. Lysate is supplied in $1\times$ SDS sample buffer (2% SDS, 60 mM Tris-HCl pH 6.8, 10% Glycerol, 0.02% Bromophenol blue, 60 mM beta-mercaptoethanol). Lysate should be boiled for 3 - 5 minutes before loading onto gel.

Sequencing data

WT CCCGCTCCCCGAGG*************GCGGGCAGGCGGC
Mut CCCGCTCCCCGAGG***Deletion***GCGGGCAGGCGGC
Allele-1: exon1 was deleted

WT CCCGCTCCCCGAGG*************GCGGGCAGGCGGC
Mut CCCGCTCCCCGAGG***Deletion***GCGGGCAGGCGGC
Allele-2: exon1 was deleted

Genome sequence analysis of PCR products from parental (WT) and RABEP1 knockout (KO) 293T cells, using sanger sequencing.