

FZD5 Knockout 293T Cell Lysate, Homozygous

Catalog No.: RM50030

Basic Information

Catalog No.

RM50030

Category

Cell Lysate

Parental Cell line

293T

Genotype

Knockout

Gene Information

Gene Symbol

FZD5

Species

Human

Gene ID

7855

Swiss Prot

Q13467

Synonyms

HFZ5; C2orf31; FZD5

Contact

 | 400-999-6126

 | cn.market@abclonal.com.cn

 | www.abclonal.com.cn

Background

Members of the 'frizzled' gene family encode 7-transmembrane domain proteins that are receptors for Wnt signaling proteins. The FZD5 protein is believed to be the receptor for the Wnt5A ligand.

Product Information

Description

FZD5 Knockout cell line is engineered from 293T cell line with Gene-Editing Technology.

Allele-1:113bp deletion in exon1

Allele-2:112bp deletion in exon1

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles.

Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins.

Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

Packaging

1 vial parental cell Lysate and 1 vial knockout cell Lysate

Shipping Conditions

4°C

Amount

50μL, 2μg/μL.

Storage

Lysate is stable for 12 months when stored at -20°C. Minimizing freeze-thaw cycles.

Protocol

To be used as WB control. Lysate is supplied in 1× SDS sample buffer (2% SDS, 60 mM Tris-HCl pH 6.8, 10% Glycerol, 0.02% Bromophenol blue, 60 mM beta-mercaptoethanol). Lysate should be boiled for 3 - 5 minutes before loading onto gel.

Sequencing data

WT ACGGTGCCCATGTG*****CGCCGGACCTGCG
Mut ACGGTGCCCATGTG***Deletion***CGCCGGACCTGCG
Allele-1: 113bp deletion in exon1

WT ACGGTGCCCATGTG*****TCGCCGGACCTGC
Mut ACGGTGCCCATGTG***Deletion***TCGCCGGACCTGC
Allele-2: 112bp deletion in exon1

Genome sequence analysis of PCR products from parental (WT) and FZD5 knockout (KO) 293T cells, using sanger sequencing.