KDM5B Knockdown 293T Cell Lysate, Heterozygous

Catalog No.: RM50039



Basic Information

Catalog No. RM50039

Category Cell Lysate

Parental Cell line 293T

Genotype Knockdown

Gene Information

Gene Symbol KDM5B

Species Human

Gene ID 10765

Swiss Prot Q9UGL1

Synonyms

CT31; PLU1; PUT1; MRT65; PLU-1; JARID1B; PPP1R98; RBP2-H1; RBBP2H1A; 5B

Contact

6	400-999-6126
\bowtie	cn.market@abclonal.com.cn
€	www.abclonal.com.cn

Background

This gene encodes a lysine-specific histone demethylase that belongs to the jumonji/ARID domain-containing family of histone demethylases. The encoded protein is capable of demethylating tri-, di- and monomethylated lysine 4 of histone H3. This protein plays a role in the transcriptional repression or certain tumor suppressor genes and is upregulated in certain cancer cells. This protein may also play a role in genome stability and DNA repair. Alternate splicing results in multiple transcript variants.

Product Information

Description

KDM5B Knockdown cell line is engineered from 293T cell line with Gene-Editing Technology. Allele-1:78bp deletion in exon1

Allele-2:77bp deletion in exon1

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles. Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins. Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

Packaging

1 vial parental cell Lysate and 1 vial knockout cell Lysate

Shipping Conditions

Amount 50μL, 2μg/μL.

Storage

Lysate is stable for 12 months when stored at -20°C. Minimizing freeze-thaw cycles.

Protocol

To be used as WB control. Lysate is supplied in $1 \times$ SDS sample buffer (2% SDS, 60 mM Tris-HCl pH 6.8, 10% Glycerol, 0.02% Bromophenol blue, 60 mM beta-mercaptoethanol). Lysate should be boiled for 3 - 5 minutes before loading onto gel.

Sequencing data

WT GCCTCCACCCGAGT***********AGACTGGCATCTGT Mut GCCTCCACCCGAGT***Deletion***AGACTGGCATCTGT Allele-1: 78bp deletion in exon1

WT GCCTCCACCCGAGT**********CAGACTGGCATCTG Mut GCCTCCACCCGAGT***Deletion***CAGACTGGCATCTG Allele-2: 77bp deletion in exon1 Genome sequence analysis of PCR products from parental (WT) and KnockdownM5B knockdown (KD) 293T cells, using sanger sequencing.