ABclonal www.abclonal.com

SPECC1 Knockout HeLa Cell Lysate, Homozygous

Catalog No.: RM50041

Basic Information

Catalog No.

RM50041

Category

Cell Lysate

Parental Cell line

HeLa

Genotype

Knockout

Background

The protein encoded by this gene belongs to the cytospin-A family. It is localized in the nucleus, and highly expressed in testis and some cancer cell lines. A chromosomal translocation involving this gene and platelet-derived growth factor receptor, beta gene (PDGFRB) may be a cause of juvenile myelomonocytic leukemia. Alternatively spliced transcript variants encoding different isoforms have been described for this gene.

Gene Information

Gene Symbol

SPECC1

Species

Human

Gene ID

92521

Swiss Prot

Q5M775

Synonyms

NSP; NSP5; CYTSB; HCMOGT1; HCMOGT-1

Contact

| 6 | 400-999-6126 |
|-----------|---------------------------|
| \bowtie | cn.market@abclonal.com.cn |
| • | www.abclonal.com.cn |

Product Information

Description

SPECC1 Knockout cell line is engineered from HeLa cell line with Gene-Editing Technology. Allele-1:116bp deletion in exon1

Allele-2:116bp deletion in exon1

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles. Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins. Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

Packaging

1 vial parental cell Lysate and 1 vial knockout cell Lysate

Shipping ConditionsAmount $4^{\circ}C$ 50μ L, 2μ g/ μ L.

Storage

Lysate is stable for 12 months when stored at -20°C. Minimizing freeze-thaw cycles.

Protocol

To be used as WB control. Lysate is supplied in $1\times$ SDS sample buffer (2% SDS, 60 mM Tris-HCl pH 6.8, 10% Glycerol, 0.02% Bromophenol blue, 60 mM beta-mercaptoethanol). Lysate should be boiled for 3 - 5 minutes before loading onto gel.

Sequencing data

WT TGAGGGGACTGATG********GAAAACCGGGTCCT Mut TGAGGGGACTGATG***Deletion***GAAAACCGGGTCCT Allele-1: 116bp deletion in exon2

WT TGAGGGGACTGATG********GAAAACCGGGTCCT
Mut TGAGGGGACTGATC***Deletion***GAAAACCGGGTCCT
Allele-2: 116bp deletion in exon2

Genome sequence analysis of PCR products from parental (WT) and SPECC1 knockout (KO) HeLa cells, using sanger sequencing.