Anti- Human IL-1 beta mAb (CAP)



Catalog No.: RMK0033

Basic Information

Catalog No.

RMK0033

Catagory

Elisa Antibody Kit

Application

ELISA

Product Information

Ig Type

Rabbit IgG

Purification

Affinity purification

Endotoxin Level

Storage

Store at -20°C. Avoid freeze / thaw cycles. Preservative 0.05% ProClin 300. Avoid repeated freeze-thaw cycles.

Formulation

Supplied as a 0.2um filtered solution in PBS with 0.05%ProClin 300.PH 7.4.

Contact

•		order@abclonal.com
2		support@abclonal.com
•		www.abclonal.com

Background

IL-1 is a name that designates two pleiotropic cytokines, IL-1 alpha (IL-1F1) and IL-1 beta (IL-1F2), which are the products of distinct genes. IL-1 alpha and IL-1 beta are structurally related polypeptides that share approximately 21% amino acid (aa) identity in human. Both proteins are produced by a wide variety of cells in response to inflammatory agents, infections, or microbial endotoxins. While IL-1 alpha and IL-1 beta are regulated independently, they bind to the same receptor and exert identical biological effects. IL-1 RI binds directly to IL-1 alpha or IL-1 beta and then associates with IL-1 R accessory protein (IL-1 R3/IL-1 R AcP) to form a high-affinity receptor complex that is competent for signal transduction. IL-1 RII has high affinity for IL-1 beta but functions as a decoy receptor and negative regulator of IL-1 beta activity. IL-1ra functions as a competitive antagonist by preventing IL-1 alpha and IL-1 beta from interacting with IL-1 RI (1-4). The human IL-1 beta cDNA encodes a 269 aa precursor. A 116 aa propeptide i...

Immunogen Information

Immunogen

Recombinant Human IL-1 beta


Cross-Reactivity


,

Assay Applications

Human IL-1 beta Sandwich ELISA Immunoassay

	Recommended Concentration	Sample
ELISA Capture	1-4 ug/mL	Rabbit anti-Human IL-1 beta (CAP)(Cat. No.RMK0033)
ELISA Detection	0.125-0.5ug/mL	Rabbit anti-Human IL-1 beta (DET)(Cat. No.RMK0034)
Standard	0.625-40pg/mL	Recombinant Human IL-1 beta Protein(Cat. No.RP00002)





Placed at 37°C for 3 days, the stability of the standard curve all conform to CV <10%.