

Recombinant Human S100-A12 Protein

Catalog No.: RP00009 Recombinant 1 Publications

Sequence Information

Species Gene ID Swiss Prot Human 6283 P80511

Tags

C-His

Synonyms

S100A12;CAAF1;CAGC;CGRP;ENRAGE;MR P-6;MRP6;p6

Product Information

Source Purification
E. coli ≥ 95 % as
determined by SDSPAGE.

Calculated MW Observed MW

11.42 kDa 13 kDa

Endotoxin

< 0.1 EU/ μ g of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

<u>a</u>		400-999-6126
\bowtie		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

Background

The protein is a member of the S100 family of proteins containing 2 EF-hand calciumbinding motifs. S100 proteins are localized in the cytoplasm and nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 proteins include at least 13 members which are located as a cluster on chromosome 1q21. This protein is proposed to be involved in specific calcium-dependent signal transduction pathways and its regulatory effect on cytoskeletal components may modulate various neutrophil activities. The protein includes an antimicrobial peptide which has antibacterial activity.

Basic Information

Description

Recombinant Human S100-A12 Protein is produced by *E. coli* expression system. The target protein is expressed with sequence (Met1-Glu92) of human S100A12 (Accession #NP_005612.1) fused with a 6×His tag at the C-terminus.

Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized Human S100A12 Protein at 2 μ g/mL (100 μ L/well) can bind AGER with a linear range of 1.95-14.13 ng/mL.

Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.


Avoid repeated freeze/thaw cycles.

Operational Notes


For your safety and health, please wear a lab coat and disposable gloves for handling.

^{*} DODOODOODOODOODOO

Validation Data



Recombinant Human S100-A12 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



Immobilized Recombinant Human S100-A12 Protein at $2\mu g/mL$ (100 $\mu L/well$) can bind AGER with a linear range of 1.95-14.13ng/mL.