

Recombinant Human MIC-B Protein

Catalog No.: RP00118 **Recombinant**

Sequence Information

Species Human **Gene ID** 4277 **Swiss Prot** Q29980

Tags

C-hFc&His

Synonyms

MICB;PERB11.2

Background

This protein is a heavily glycosylated protein which is a ligand for the NKG2D type II receptor. Binding of the ligand activates the cytolytic response of natural killer (NK) cells, CD8 alphabeta T cells, and gammadelta T cells which express the receptor. This protein is stress-induced and is similar to MHC class I molecules; however, it does not associate with beta-2-microglobulin or bind peptides. Alternative splicing results in multiple transcript variants.

Basic Information

Description

Recombinant Human MIC-B Protein is produced by HEK293 expression system. The target protein is expressed with sequence (Ala23-Gly298) of human MICB (Accession #NP_005922.2) fused with an Fc, 6×His tag at the C-terminus.

Bio-Activity

Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.

Product Information

Source

HEK293 cells

Purification

≥ 95 % as determined by SDS-PAGE; ≥95 % as determined by HPLC.

Calculated MW

58.24 kDa

Observed MW

75-100 kDa

Endotoxin

< 0.1 EU/μg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4. Contact us for customized product form or formulation.

Reconstitution


Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

 | 400-999-6126
 | cn.market@abclonal.com.cn



Validation Data



Recombinant Human MIC-B Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.

The purity of Human MICB Protein (Cat.RP00118) was greater than 95% as determined by SEC-HPLC.