

# Recombinant Human Glypican-1/GPC1 Protein

Catalog No.: RP00297 Recombinant

### **Sequence Information**

**Species Gene ID Swiss Prot** Human 2817 P35052

Tags

C-His

**Synonyms** GPC1;glypican

### **Product Information**

**Source** Purification HEK293 cells > 97% by SDS-

PAGE.

Calculated MW Observed MW

56.60 kDa 65-70 kDa

#### **Endotoxin**

Please contact us for more information.

#### **Formulation**

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

### Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

### **Contact**

6		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
$\odot$	1	www.abclonal.com.cn

## **Background**

Cell surface heparan sulfate proteoglycans are composed of a membrane-associated protein core substituted with a variable number of heparan sulfate chains. Members of the glypican-related integral membrane proteoglycan family (GRIPS) contain a core protein anchored to the cytoplasmic membrane via a glycosyl phosphatidylinositol linkage. These proteins may play a role in the control of cell division and growth regulation.

### **Basic Information**

### Description

Recombinant Human Glypican-1/GPC1 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Asp24-Gln527) of human Glypican 1 (Accession #NP 002072.1) fused with a 6×His tag at the C-terminus.

### **Bio-Activity**

Measured by its binding ability in a functional ELISA. Immobilized Human FGF2 at 1  $\mu$ g/mL (100  $\mu$ L/well) can bind Human Glypican 1 with a linear range of 2-80 ng/mL.


#### Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

# **Validation Data**



Recombinant Human Glypican-1/GPC1 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 60 kDa.



Immobilized recombinant Human FGF2 at 1  $\mu$ g/mL (100  $\mu$ L/well) can bind Human Glypican 1 with a linear range of 2-80ng/mL.