

Recombinant Human LILRB2/ILT-4/CD85d Domain1&2 Protein

Catalog No.: RP00340 **Recombinant**

Sequence Information

Species Human **Gene ID** 10288 **Swiss Prot** Q8N423-1

Tags

C-His

Synonyms

CD85d; ILT4; ILT-4; ILT4CD85d; LILRB2; LIR2; MIR10

Background

The immunoglobulin-like transcript (ILT) comprise a family of activating and inhibitory type immunoreceptors whose genes are located in the same locus that encodes killer cell Ig-like receptors (KIR). ILT4, also known as LIR-2 and LILRB2, is a type I transmembrane protein expressed primarily on monocytes and dendritic cells (DC). LILRB2 is a receptor for class I MHC antigens. Recognizes a broad spectrum of HLA-A, HLA-B, HLA-C, HLA-G and HLA-F alleles.

Basic Information

Description

Recombinant Human LILRB2/ILT-4/CD85d Domain1&2 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Gln22-Val229) of Human LILRB2/CD85d/ILT4 Domain1&2 (Accession #Q8N423-1) fused with a C-His tag at the C-terminus.

Bio-Activity

Shipping

The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Operational Notes

For your safety and health, please wear a lab coat and disposable gloves for handling.

Product Information

Source	Purification
HEK293 cells	≥ 95 % as determined by SDS-PAGE; ≥ 95 % as determined by HPLC.

Calculated MW	Observed MW
24.2 kDa	25-30 kDa

Endotoxin

< 1 EU/μg of the protein by LAL method.

Formulation

Lyophilized from 0.22 μm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.

Reconstitution


Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact


	400-999-6126
	cn.market@abclonal.com.cn




Validation Data




Recombinant Human LILRB2/ILT-4/CD85d Domain1&2 Protein was determined by Tris-Bis PAGE under reducing conditions.




The purity of Human LILRB2 Domain 1&2 is greater than 95% as determined by SEC-HPLC.



Immobilized Human LILRB2 Domain1&2, His Tag at 0.5 μ g/mL (100 μ L/well) on the plate. Dose response curve for Anti-LILRB2 Antibody, hFc Tag with the EC_{50} of 16.6ng/mL determined by ELISA (QC Test).



Human HLA-G Complex Tetramer, His Tag immobilized on CM5 Chip can bind Human LILRB2 Domain1&2, His Tag with an affinity constant of 6.5 μ M as determined in a SPR assay (Biacore T200).



Serial dilutions of Anti-LILRB2 Antibody were added into Human LILRB2 Domain1&2, His Tag : Biotinylated Human HLA-G Complex Tetramer, His Tag binding reactions. The half maximal inhibitory concentration (IC_{50}) is 0.43 μ g/mL.