

Recombinant Human FGFR3 beta (IIIc) Protein

Catalog No.: RP00465 **Recombinant**

Sequence Information

Species	Gene ID	Swiss Prot
Human	2261	P22607-1

Tags

C-His&Avi

Synonyms

ACH; CD333; CEK; CEK2; EC 2.7.10; FGF R3; FGFR3; HSFGR3EX; JTK4

Product Information

Source	Purification
HEK293 cells	> 95% by SDS-PAGE > 95% by HPLC

Endotoxin

< 1 EU/μg of the protein by LAL method

Formulation

Lyophilized from 0.22 μm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize freeze-thaw cycles.

Contact

 | 400-999-6126 | cn.market@abclonal.com.cn | www.abclonal.com.cn

Background

Four distinct genes encoding closely related FGF receptors, FGF R1-4, are known. All four genes for FGF Rs encode proteins with an N-terminal signal peptide, three immunoglobulin (Ig)-like domains, an acid box region containing a run of acidic residues between the Igl and IglI domains, a transmembrane domain and the split tyrosine-kinase domain. FGFR3 is tyrosine-protein kinase that acts as cell-surface receptor for fibroblast growth factors and plays an essential role in the regulation of cell proliferation, differentiation and apoptosis. Plays an essential role in the regulation of chondrocyte differentiation, proliferation and apoptosis, and is required for normal skeleton development. Regulates both osteogenesis and postnatal bone mineralization by osteoblasts.

Basic Information

Description

Recombinant Human FGFR3 beta (IIIc) Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Asp127-Gly375) of Human FGFR3 beta (IIIc) (Accession #P22607-1) fused with a C-His&Avi tag at the C-terminus.

Bio-Activity


Storage

Store the lyophilized protein at -20°C to -80°C for 12 months.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


Validation Data



Human FGFR3 beta (IIIc) on Tris-Bis PAGE under reduced conditions. The purity is greater than 95%.



The purity of Human FGFR3 beta (IIIc) is greater than 95% as determined by SEC-HPLC.



Immobilized Human FGFR3 beta (IIIc) at 0.5 µg/mL (100 µL/Well) on the plate. Dose response curve for Anti-FGFR3 Antibody, hFc Tag with the EC_{50} of 8.5ng/mL determined by ELISA.