Biotinylated Recombinant Human HER1/ERBB1/EGFR (25-378) Protein

Catalog No.: RP00500B Recombinant

Sequence Information

Species	Gene ID	Swiss Prot
Human	1956	NP_0013338
		70.1

Tags

C-His&Avi

Synonyms

ErbB; EC 2.7.10; EC 2.7.10.1; EGFR; mENA; LEGFR; ERBB; ERBB1; HER1; PIG61; NISBD2

Product Information

Source	Purification
HEK293 cells	≥ 95 % as
	determined by SDS-
	PAGE;≥ 95 % as
	determined by
	HPLC.
Colouisted MW	Obcorved MW

Calculated MW Observed MW 41.6 kDa 60-78 kDa

Endotoxin

 $< 1 EU/\mu g$ of the protein by LAL method.

Formulation

Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

6	400-999-6126
\bowtie	cn.market@abclonal.com.cn

Background

The epidermal growth factor receptor (EGFR) is overexpressed in a variety of human epithelial tumors, often as a consequence of gene amplification. Tumors with EGFR gene amplification frequently contain EGFR gene rearrangements, with the most common extracellular domain mutation being EGFRvIII. This mutation leads to a deletion of exons 2-7 of the EGFR gene and renders the mutant receptor incapable of binding any known ligand.

Basic Information

Description

Biotinylated Recombinant Human ERBB1/HER1/EGFR (25-378) Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Leu25-Ser378) of Human ERBB1/HER1/EGFR (25-378) (Accession #NP_001333870.1) fused with a C-His&Avi tag at the C-terminus.

Bio-Activity


Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.


Avoid repeated freeze/thaw cycles.




www.abclonal.com.cn




Biotinylated Recombinant Human HER1/ERBB1/EGFR (25-378) Protein was determined by Tris-Bis PAGE under reducing conditions.



The purity of Biotinylated Human EGFRVIII is greater than 95% as determined by SEC-HPLC.



Immobilized Biotinylated Human EGFRVIII, His Tag at 0.5 μ g/mL (100 μ L/Well) on streptavidin (5 μ g/mL) precoated plate. Dose response curve for Anti-EGFR VIII Anitibody, hFc Tag with the EC_{s0} of 4.8ng/mL determined by ELISA (QC Test).



Use Biotinylated Human EGFRVIII, His Tag protein to detect the expression rate of Anti-EGFRVIII-CAR positive cell. 293T cells and anti-EGFRVIII CAR-293T cells were incubated with Biotinylated human EGFR VIII-His Tag. Non-transfected 293T cells and Biotinylated protein control were used as negative control. SA-PE was used to evaluate the binding activity of Biotinylated Human EGFR VIII.