Recombinant Human CEACAM5/CEA/CD66e (501-685) Protein

Catalog No.: RP00520 Recombinant

Sequence Information

1048

Species Human

Gene ID Swiss Prot

P06731-1

Tags

C-His

Synonyms

CEACAM-5; CD66e; CEA; Carcinoembryonic; CEACD66e

Product Information

Source	Purification
HEK293 cells	≥ 95 % as
	determined by SDS-
	PAGE;≥ 95 % as
	determined by
	HPLC.
	A 1 1 1 1 1 1

Calculated MW Observed MW 20.89 kDa 50-70 kDa

Endotoxin

 $< 1 EU/\mu g$ of the protein by LAL method.

Formulation

Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

6	400-999-6126
\bowtie	cn.market@abclonal.com.cn

Background

Carcinoembryonic antigen-related cell adhesion molecule 5 (CEACAM5) was identified as a metastatic driver. CEACAM5 overproduction enriched for an epithelial gene expression pattern and facilitated tumor outgrowth at metastatic sites. Tissues from patients with metastatic breast cancer confirmed elevated levels of CEACAM5 in lung metastases relative to breast tumors, and an inverse correlation between CEACAM5 and the mesenchymal marker vimentin was demonstrated.

Basic Information

Description

Recombinant Human CEACAM5/CEA/CD66e (501-685) Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Pro501-Ala685) of Human CEACAM5/CD66e (501-685) (Accession #P06731-1) fused with a C-His tag at the C-terminus.


Bio-Activity

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.




www.abclonal.com.cn



Recombinant Human CEACAM5/CEA/CD66e (501-685) Protein was determined by Tris-Bis PAGE under reducing conditions. The purity of Human CEACAM-5 (501-685) is greater than 95% as determined by SEC-HPLC.

mAU 35



Immobilized Human CEACAM-5, His Tag at 2 μ g/mL (100 μ L/well) on the plate. Dose response curve for Anti-CEACAM5 Antibody, hFc Tag with the EC₅₀ of 28.8ng/mL determined by ELISA.