

Biotinylated Recombinant Human ALCAM/CD166 Protein (Primary Amine Labeling)

Catalog No.: RP00620B Recombinant

Sequence Information

Species Gene ID Swiss Prot Human 214 Q13740-1

Tags C-His

Synonyms

CD166; ALCAM; MEMD; CD6L; KG-CAM

Product Information

Source Purification

HEK293 cells ≥ 95 % as determined by SDS-

PAGE.

Calculated MW Observed MW

57 kDa 70-80 kDa

Endotoxin

< 1 EU/µg of the protein by LAL method.

Formulation

Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

<u>a</u>	400-999-6126
\bowtie	cn.market@abclonal.com.cn
<u>~</u>	www.abclonal.com.cn

Background

Brain metastasis (BM) in non-small-cell lung cancer (NSCLC) has a very poor prognosis. Recent studies have demonstrated the importance of cell adhesion molecules in tumor metastasis. Elevated levels of ALCAM expression promote BM formation in NSCLC through increased tumor cell dissemination and interaction with the brain endothelial cells. Therefore, ALCAM could be targeted to reduce the occurrence of BM.

Basic Information

Description

Biotinylated Recombinant Human ALCAM/CD166 Protein (Primary Amine Labeling) is produced by HEK293 cells expression system. The target protein is expressed with sequence (Trp28-Ala526) of Human ALCAM/CD166 (Primary Amine Labeling) (Accession #Q13740-1) fused with a C-His tag at the C-terminus.

Bio-Activity


Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Biotinylated Recombinant Human ALCAM/CD166 Protein (Primary Amine Labeling) was determined by Tris-Bis PAGE under reducing conditions.



Immobilized Anti-ALCAM Antibody, hFc Tag at 5 μ g/mL (100 μ L/well) on the plate. Dose response curve for Biotinylated Human ALCAM, His Tag with the EC₅₀ of 1.6 μ g/mL determined by ELISA.