# Biotinylated Recombinant Human IL-23A&Mouse IL-12B Protein

Catalog No.: RP00632B Recombinant

# **Sequence Information**

Species	Gene ID	Swiss Prot
Human	51561&1616	Q9NPF7(Hum
	0	an IL-23
		alpha)&P434
		32-1(Mouse
		IL-12 beta)

Tags

C-His&Avi

## Synonyms

IL23 alpha; IL12 beta; IL23 alpha&IL12 beta ; IL12  $\beta$ ; IL23 alpha&IL12  $\beta$ 

# **Product Information**

Source	Purification
HEK293 cells	> 95% by SDS-
	PAGE∏> 95% by
	HPLC

### Calculated MW Observed MW

21.7 kDa (Human IL-23 alpha), 35.8 kDa (Mouse IL-12 beta)

-12 kDa (Mouse IL-12 beta)

22-25 kDa (Human

IL-23 alpha), 45-60

## Endotoxin

< 1 EU/ $\mu$ g of the protein by LAL method

### Formulation

Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization

## Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

# Background

Interleukin (IL)-12 and IL-23 belong to the IL-12 type family and are composite cytokines, consisting of the common  $\beta$  subunit p40 and the specific cytokine  $\alpha$  subunit p35 and p19, respectively. IL-12 signals via the IL-12R1-IL-12R2 receptor complex, and IL-23 uses also IL-12R1 but engages IL-23R as second receptor.

# **Basic Information**

## Description

Biotinylated Recombinant Human IL-23A&Mouse IL-12B Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Arg20-Pro189(Human IL-23 alpha) & Met23-Ser335(Mouse IL-12 beta)) of Human IL-23 alpha&Mouse IL-12 beta (Accession #Q9NPF7(Human IL-23 alpha)&P43432-1(Mouse IL-12 beta)) fused with a C-His&Avi tag at the C-terminus.

## **Bio-Activity**

### Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20  $^\circ C$  for 3 months, at 2-8  $^\circ C$  for up to 1 week.

Avoid repeated freeze/thaw cycles.




# Contact

6	400-999-6126
$\times$	cn.market@abclonal.com.cn
€	www.abclonal.com.cn



Biotinylated Human IL-23 alpha&Mouse IL-12 beta on Tris-Bis PAGE under reduced condition. The purity is greater than 95%. The purity of Biotinylated Human IL-23 alpha&Mouse IL-12 beta is greater than 95% as determined by SEC-HPLC.



Immobilized Biotinylated Human IL-23 alpha & Mouse IL-12 beta, His Tag at 1  $\mu$ g/mL (100  $\mu$ L/well) on the streptavidin precoated plate (5  $\mu$ g/mL). Dose response curve for Human IL-23R, mFc Tag with the EC<sub>50</sub> of 28.1ng/mL determined by ELISA.