

Recombinant Human Cystatin-S/CST4 Protein

Catalog No.: RP00994 **Recombinant**

Sequence Information

Species	Gene ID	Swiss Prot
Human	1472	P01036

Tags

C-His

Synonyms

CST4

Product Information

Source	Purification
HEK293 cells	> 95% by SDS-PAGE.

Calculated MW	Observed MW
15.03 kDa	15-20 kDa

Endotoxin

< 1.0 EU/μg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4. Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Background

Basic Information

Description

Recombinant Human Cystatin-S/CST4 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Ser21-Ala141) of human Cystatin S (Accession #NP_001890.1) fused with a 6×His tag at the C-terminus.

Bio-Activity

Measured by its ability to inhibit active Cathepsin L cleavage of a fluorogenic peptide substrate Z-LR-AMC. The IC50 value approximately is 26.3 nM.


Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Human Cystatin-S/CST4 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 16 kDa.



Recombinant human CST4 inhibits active Cathepsin L cleavage of a fluorogenic peptide substrate Z-LR-AMC (Catalog#ES008). The IC50 value approximately is 26.3nM.