

Recombinant Human B7-H3/CD276 Protein

Catalog No.: RP01020 **Recombinant** **1 Publications**

Sequence Information

Species	Gene ID	Swiss Prot
Human	80381	Q5ZPR3-2

Tags

C-His

Synonyms

CD276; 4Ig-B7-H3; B7-H3; B7H3; B7RP-2;
CD276 antigen;4Ig-B7-H3;B7-
H3;B7H3;B7RP-2

Product Information

Source	Purification
HEK293 cells	> 95% by SDS- PAGE.

Calculated MW	Observed MW
24.15 kDa	38-48 kDa

Endotoxin

< 0.1 EU/μg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4. Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

 | 400-999-6126

 | cn.market@abclonal.com.cn

 | www.abclonal.com.cn

Background

Basic Information

Description

Recombinant Human B7-H3/CD276 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Leu29-Pro245) of human B7-H3 (Accession #NP_079516) fused with a 6×His tag at the C-terminus.


Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized Human B7-H3 at 2 μg/mL (100 μL/well) can bind Anti-Human B7-H3 Antibody with a linear range of 1-4 ng/mL.


Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Human B7-H3/CD276 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 38-48 kDa.



Immobilized Human B7-H3 at 2 $\mu\text{g/mL}$ (100 $\mu\text{L/well}$) can bind Anti-Human B7-H3 Antibody with a linear range of 1-4 ng/mL.