

Recombinant Human Argonaute-2/AGO2 Protein

Catalog No.: RP01132 Recombinant 1 Publications

Sequence Information

Species Gene ID Swiss Prot Human 27161 Q9UKV8

Tags

N-6×His

Synonyms

AGO2;CASC7;EIF2C2;LINC00980;PPD;Q1 0;protein argonaute-2;Argonaute 2;EIF2C2

Product Information

Source Purification

Baculovirus-Infected ≥ 85 % as

Sf9 Cells determined by SDSPAGE.

Calculated MW Observed MW

99 kDa 99 kDa

Endotoxin

< 1 EU/µg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution 20mM Tris, 500mM NaCl, pH7.4,10% glycerol,2mM DTT.Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

a	400-999-6126
\bowtie	cn.market@abclonal.com.cn

Background

This protein is a member of the Argonaute family of proteins which play a role in RNA interference. The encoded protein is highly basic, and contains a PAZ domain and a PIWI domain. It may interact with dicer1 and play a role in short-interfering-RNA-mediated gene silencing. Multiple transcript variants encoding different isoforms have been found for this gene.

Basic Information

Description

Recombinant Human Argonaute-2/AGO2 Protein is produced by Insect cell-baculovirus expression system. The target protein is expressed with sequence (Met1-Ala859) of Human Argonaute-2/AGO2 (Accession #NP_036286.2) fused with a 6×His tag at the N-terminus

Bio-Activity


Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Human Argonaute-2/AGO2 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.