# **Recombinant Human PCSK9 Protein**

Catalog No.: RP01148 Recombinant 1 Publications

## Sequence Information

## Background

SpeciesGene IDHuman255738

O Swiss Prot

**Tags** C-His

#### Synonyms

FH3; HCHOLA3; LDLCQ1; NARC-1; NARC1; PC9;PCSK9; FH3; proprotein convertase subtilisin/kexin type 9;HCHOLA3;LDLCQ1;NARC-1;NARC1;PC9

## **Product Information**

Source	Purification
HEK293 cells	≥ 90 % as
	determined by SDS-
	PAGE.

# Calculated MW Observed MW 71.89 kDa 66 kDa, 19 kDa

#### Endotoxin

< 0.1 EU/µg of the protein by LAL method.

#### Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

#### Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

### Contact

6	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
€	www.abclonal.com.cn

rmulation.

## **Basic Information**

#### Description

Recombinant Human PCSK9 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Gln31-Gln692) of human PCSK9 (Accession  $\#NP_777596.2$ ) fused with a 6×His tag at the C-terminus.


#### **Bio-Activity**

Measured by its binding ability in a functional ELISA. Immobilized Human LDLR at 5µg/mL (100 µL/well) can bind Human PCSK9 with a linear range of 0.5-294.7ng/mL.

#### Storage

Store at -20°C.Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.





Recombinant Human PCSK9 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.

Immobilized Human LDLR at 5µg/mL (100  $\mu L$ /well) can bind Human PCSK9 with a linear range of 0.5-294.7ng/mL.