Recombinant Mouse B7-H1/PD-L1/CD274 Protein

Catalog No.: RP01158 Recombinant

Sequence Information

Species	Gene ID	Swiss Prot
Mouse	60533	Q9EP73

_

Tags C-His

Synonyms

PD-; B7h1; Pdl1; Pdcd1l; Pdcd1l1; Pdcd1lg1; A530045L16Rik;CD274

Product Information

Source	Purification
HEK293 cells	≥ 95 % as
	determined by SDS-
	PAGE;≥ 90 % as
	determined by
	HPLC.

Calculated MW Observed MW 27.61 kDa 40-55 kDa

Endotoxin

< 0.1 EU/µg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

6	400-999-6126
\bowtie	cn.market@abclonal.com.cn

Background

Programmed death-1 ligand-1 (PD-L1, CD274, B7-H1) has been identified as the ligand for the immunoinhibitory receptor programmed death-1(PD1/PDCD1). PD-L1/B7-H1 is expressed by hematopoietic and non-hematopoietic cells, such as T cells and B cells and various types of tumor cells. PD-L1/B7-H1 is a member of the growing B7 family of immune molecules that has immunoglobulin V-like and C-like domains. Interaction of this ligand with its receptor inhibits T-cell activation and cytokine production. During infection or inflammation of normal tissue, this interaction is important for preventing autoimmunity by maintaining homeostasis of the immune escape for tumor cells through cytotoxic T-cell inactivation. Expression of this gene in tumor cells is considered to be prognostic in many types of human malignancies, including colon cancer and renal cell carcinoma.

Basic Information

Description

Recombinant Mouse B7-H1/PD-L1/CD274 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Met1-Thr238) of mouse PD-L1/B7-H1 (Accession #NP_068693) fused with a $6 \times$ His tag at the C-terminus.

Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized Recombinant Mouse PD-L1 at 10 μ g/mL (100 μ L/well) can bind Recombinant Mouse PD-1 with a linear range of 1.5-5 μ g/mL.

Storage


Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20 $^\circ C$ for 3 months, at 2-8 $^\circ C$ for up to 1 week.


Avoid repeated freeze/thaw cycles.



www.abclonal.com.cn



Recombinant Mouse B7-H1/PD-L1/CD274 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



The purity of Mouse PD-L1/B7-H1 Protein (Cat.RP01158) was greater than 90% as determined by SEC-HPLC.

Immobilized Recombinant Mouse PD-L1 at 10 μ g/mL (100 μ L/well) can bind Recombinant Mouse PD-1 with a linear range of 1.5-5 μ g/mL.