

Recombinant Human Nectin-1/PVRL1/CD111 Protein

Catalog No.: RP01219 **Recombinant**

Sequence Information

Species	Gene ID	Swiss Prot
Human	5818	Q15223-1

Tags

C-His

Synonyms

NECTIN1;CD111;CLPED1;ED4;HlgR;HV1S;HVEC;OFC7;PRR;PRR1;PVRL1;PVRR;PVRR1;SK-12;nectin-1

Product Information

Source	Purification
HEK293 cells	> 97% by SDS-PAGE.

Calculated MW	Observed MW
37.89 kDa	50-60 kDa

Endotoxin

< 0.1 EU/μg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4. Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Background

Basic Information

Description

Recombinant Human Nectin-1/PVRL1/CD111 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Met1-Thr334) of human Nectin-1/PVRL1/CD111 (Accession #NP_002846.3) fused with a 6×His tag at the C-terminus.


Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized Recombinant Human Nectin-1 3 μg/mL (100 μL/well) can bind Recombinant Human Nectin-3 with a linear range of 180-720 ng/mL.


Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.


Validation Data



Active Recombinant Human Nectin-1/PVRL1/CD111 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 50-55 kDa.



The purity of human Nectin-1/PVRL1/CD111 Protein (Cat.RP01219) was greater than 90% as determined by SEC-HPLC.



Immobilized Recombinant Human Nectin-1 3 μ g/mL (100 μ L/well) can bind Recombinant Human Nectin-3 with a linear range of 180-720 ng/mL.