Leader in Biomolecular Solutions for Life Science

www.abclonal.com

Recombinant Human IL-15 Protein

Catalog No.: RP01236 Recombinant

Sequence Information

Species	Gene ID	Swiss Prot
Human	3600	P40933-1

Tags
C-His

Synonyms
IL15;IL-15

Product Information

Source	Purification
E. coli	≥ 95 % as determined by SDS-PAGE.

Calculated MW	Observed MW
13.61 kDa	15 kDa

Endotoxin
< 0.1 EU/μg of the protein by LAL method.

Formulation
Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

Reconstitution
Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

400-999-6126

cn.market@abclonal.com.cn

www.abclonal.com.cn

* □□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Background

Basic Information

Description
Recombinant Human IL-15 Protein is produced by *E. coli* expression system. The target protein is expressed with sequence (Asn49-Ser162) of human IL-15 (Accession #NP_000576.1) fused with a 6×His tag at the C-terminus.

Bio-Activity
Measured in a cell proliferation assay using HT-2 cells. The ED_{50} for this effect is 1.5-5 pg/mL, corresponding to a specific activity of 2.0×10^{8}-6.67×10^{8}units/mg.

Storage
Store at -20℃.Store the lyophilized protein at -20℃ to -80 ℃ up to 1 year from the date of receipt.
After reconstitution, the protein solution is stable at -20℃ for 3 months, at 2-8℃ for up to 1 week.
Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Human IL-15 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



Recombinant Human IL-15 promotes the proliferation of HT-2 cells. The ED_{50} for this effect is 1.5-5 pg/mL, corresponding to a specific activity of 2.0×10^{8}-6.67×10^{8}units/mg.